

NAZARETH AREA SCHOOL NURSES

(The fax goes directly to the nurses office)

HS fax 610-849-0863

MS fax 610-759-3262

Intermediate fax 484-292-1113

Bushkill ES fax 610-849-0866

Lower Nazareth ES fax 610-849-0865

Safer ES fax 610-849-0862

ASTHMA ACTION PLAN

revised January 16

If your child needs to take medicine in school, prescription or *over-the-counter, the procedure is as follows: The Nazareth Area School District requires a physician's/psychiatrist's/dentist's written order and a parent's/legal guardian's/emancipated student's authorization for the school nurse, or in her/his absence the designee, to administer medications to students in the regular school setting and only in circumstances when the child's health may be jeopardized without it. Written authorization, signed by the physician, psychiatrist, or dentist (original or by fax) and the parent, legal guardian, or emancipated student must be provided for each separate prescription or medication being administered to each student. If dosage is changed, new written authorization is required. Authorization will terminate with the expiration date of the prescription or at the end of the school year, whichever occurs first. If the medication is discontinued, the parent or legal guardian must notify the school nurse in writing. **MEDICATION MUST BE DELIVERED TO THE SCHOOL NURSE BY THE PARENT, LEGAL GUARDIAN, AUTHORIZED ADULT DESIGNEE OR EMANCIPATED STUDENT IN THE ORIGINAL MEDICATION CONTAINER. STUDENTS ARE NOT TO HAVE MEDICATION IN THEIR POSSESSION AT ANY TIME PER SCHOOL DISTRICT DRUG AND ALCOHOL POLICY EXCEPT PHYSICIAN AUTHORIZED SELF-ADMINISTERED EMERGENCY MEDICATIONS.** It will be the responsibility of the parent, legal guardian, or emancipated student to make arrangements for administration of medication during activities away from school. Medication sent to school in violation of this policy will not be administered to a student. **Medication must be in original medication container.**

Medication Authorization (Physician/Psychiatrist/Dentist and Parent/Guardian)

Student's name	Grade	Date of birth
Physician's name printed		
Address		
Phone		Fax
Signature of Physician/Psychiatrist/Dentist		Date

Authorization by parent/legal guardian/emancipated student

Name of Student _____ is requested to receive the above medication during school hours in order to maintain sufficient health and participation in the school program. We (I) do hereby grant permission for school staff to communicate directly with the physician/psychiatrist/dentist named above. We (I) do hereby release, discharge, and hold harmless NASD, its agents, and employees from any and all liability and claims whatsoever in connection with administration of the above medication to my child. We (I) have read and agree to follow the procedures set forth by the policy and procedure.

Signature of Parent/Legal Guardian	Date	Daytime Phone
------------------------------------	------	---------------

SELF-ADMINISTRATION:

The above named student has demonstrated the ability to self-administer the physician-prescribed emergency medication, as indicated by the following criteria:

1. Respond to and visually recognize his/her name.
2. Identify his/her medication.
3. Demonstrate the proper technique for self-administering his/her medication
4. Knowledge of medication side effects and agrees to report any side effects to the Nurse

Do you recommend that the student:	Self-administer and carry in school?	YES _____	NO _____
	Only carry in school?	YES _____	NO _____

Please complete the medicine and how much to take and how often to take it on the next page 

Student's name _____

Grade _____

Date _____

HEALTHY (Green Zone) ||||➡



You have *all* of these:

- Breathing is good
- No cough or wheeze
- Sleep through the night
- Can work, exercise, and play

And/or Peak flow above _____

Take daily control medicine(s). Some inhalers may be more effective with a "spacer" – use if directed.

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Advair® HFA <input type="checkbox"/> 45, <input type="checkbox"/> 115, <input type="checkbox"/> 230	2 puffs twice a day
<input type="checkbox"/> Aerospir™	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Alvesco® <input type="checkbox"/> 80, <input type="checkbox"/> 160	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Dulera® <input type="checkbox"/> 100, <input type="checkbox"/> 200	2 puffs twice a day
<input type="checkbox"/> Flovent® <input type="checkbox"/> 44, <input type="checkbox"/> 110, <input type="checkbox"/> 220	2 puffs twice a day
<input type="checkbox"/> Qvar® <input type="checkbox"/> 40, <input type="checkbox"/> 80	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Symbicort® <input type="checkbox"/> 80, <input type="checkbox"/> 160	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Advair Diskus® <input type="checkbox"/> 100, <input type="checkbox"/> 250, <input type="checkbox"/> 500	1 inhalation twice a day
<input type="checkbox"/> Asmanex® Twisthaler® <input type="checkbox"/> 110, <input type="checkbox"/> 220	<input type="checkbox"/> 1, <input type="checkbox"/> 2 inhalations <input type="checkbox"/> once or <input type="checkbox"/> twice a day
<input type="checkbox"/> Flovent® Diskus® <input type="checkbox"/> 50 <input type="checkbox"/> 100 <input type="checkbox"/> 250	1 inhalation twice a day
<input type="checkbox"/> Pulmicort Flexhaler® <input type="checkbox"/> 90, <input type="checkbox"/> 180	<input type="checkbox"/> 1, <input type="checkbox"/> 2 inhalations <input type="checkbox"/> once or <input type="checkbox"/> twice a day
<input type="checkbox"/> Pulmicort Respules® (Budesonide) <input type="checkbox"/> 0.25, <input type="checkbox"/> 0.5, <input type="checkbox"/> 1.0	1 unit nebulized <input type="checkbox"/> once or <input type="checkbox"/> twice a day
<input type="checkbox"/> Singulair® (Montelukast) <input type="checkbox"/> 4, <input type="checkbox"/> 5, <input type="checkbox"/> 10 mg	1 tablet daily
<input type="checkbox"/> Other	
<input type="checkbox"/> None	

Remember to rinse your mouth after taking inhaled medicine.

If exercise triggers your asthma, take _____ puff(s) _____ minutes before exercise.

CAUTION (Yellow Zone) ||||➡



You have *any* of these:

- Cough
- Mild wheeze
- Tight chest
- Coughing at night
- Other: _____

If quick-relief medicine does not help within 15-20 minutes or has been used more than 2 times and symptoms persist, call your doctor or go to the emergency room.

And/or Peak flow from _____ to _____

Continue daily control medicine(s) and ADD quick-relief medicine(s).

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Albuterol MDI (Pro-air® or Proventil® or Ventolin®)	2 puffs every 4 hours as needed
<input type="checkbox"/> Xopenex®	2 puffs every 4 hours as needed
<input type="checkbox"/> Albuterol <input type="checkbox"/> 1.25, <input type="checkbox"/> 2.5 mg	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Duoneb®	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Xopenex® (Levalbuterol) <input type="checkbox"/> 0.31, <input type="checkbox"/> 0.63, <input type="checkbox"/> 1.25 mg	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Combivent Respimat®	1 inhalation 4 times a day
<input type="checkbox"/> Increase the dose of, or add:	
<input type="checkbox"/> Other	

• If quick-relief medicine is needed more than 2 times a week, except before exercise, then call your doctor.

EMERGENCY (Red Zone) ||||➡



Your asthma is getting worse fast:

- Quick-relief medicine did not help within 15-20 minutes
- Breathing is hard or fast
- Nose opens wide • Ribs show
- Trouble walking and talking
- Lips blue • Fingernails blue
- Other: _____

And/or Peak flow below _____

Take these medicines NOW and CALL 911. Asthma can be a life-threatening illness. Do not wait!

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Albuterol MDI (Pro-air® or Proventil® or Ventolin®)	4 puffs every 20 minutes
<input type="checkbox"/> Xopenex®	4 puffs every 20 minutes
<input type="checkbox"/> Albuterol <input type="checkbox"/> 1.25, <input type="checkbox"/> 2.5 mg	1 unit nebulized every 20 minutes
<input type="checkbox"/> Duoneb®	1 unit nebulized every 20 minutes
<input type="checkbox"/> Xopenex® (Levalbuterol) <input type="checkbox"/> 0.31, <input type="checkbox"/> 0.63, <input type="checkbox"/> 1.25 mg	1 unit nebulized every 20 minutes
<input type="checkbox"/> Combivent Respimat®	1 inhalation 4 times a day
<input type="checkbox"/> Other	